



Gypsum Lights Collection

2022


Trimless Recessed Downlight

Gypsum Lights Collection
LUNAGP.IR

TRIMLESS GYPSUM DOWNLIGHT

MODEL: MAGI

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Magi
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 120mm×120mm×45mm

Height including the electrical part: 110mm

Cutout hole: 123mm×123mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.4kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing



120



TRIMLESS GYPSUM DOWNLIGHT

MODEL: MAGI ADJUSTABLE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Magi adjustable
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 120mm×120mm×45mm

Height including the electrical part: 110mm

Cutout hole: 123mm×123mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.4kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: ROUNDA

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Magi Round
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 130mm×50mm

Height including the electrical part: 120mm

Cutout hole: Ø 132mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints



IP Rating: IP20

Weight: 0.4kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: FURY

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Fury
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 125mm×125mm×65mm

Height including the electrical part: 130mm

Cutout hole: 128mm×128mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20


Weight: 0.6kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing






TRIMLESS GYPSUM WALLWASH

MODEL: SIDE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Wallwash, model Side
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 120mm×120mm×60mm

Height including the electrical part: 130mm

Cutout hole: 123mm×123mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.5kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: OGER

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Oger
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 155mm×155mm×45mm

Height including the electrical part: 110mm

Cutout hole: 158mm×158mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints



IP Rating: IP20

Weight: 0.6kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing



ADJUSTABLE MODEL

Oger




New

TRIMLESS GYPSUM DOWNLIGHT

MODEL: DARKA

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Darka
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 108mm×35mm

Height including the electrical part: 110mm

Cutout hole: Ø 111mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints



IP Rating: IP20

Weight: 0.3kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing






TRIMLESS GYPSUM DOWNLIGHT

MODEL: DEEPA

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Deepa
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 80mm×80mm×50mm

Height including the electrical part: 110mm

Cutout hole: 82mm×82mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints



IP Rating: IP20

Weight: 0.3kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: TINY

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Tiny
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 80mm×80mm×50mm

Height including the electrical part: 110mm

Cutout hole: 82mm×82mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints



IP Rating: IP20

Weight: 0.3kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: TINA

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Tina
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 80mm×80mm×50mm

Height including the electrical part: 110mm

Cutout hole: Ø 80mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20


Weight: 0.2kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: FURY DOUBLE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Fury Double
Requires 2xGU10 lamp, AC220-240V, max. 35W (not included)

Perfect for 2xLED lamps GU10

Dimensions: 200mm×120mm×50mm

Height including the electrical part: 100mm

Cutout hole: 205mm×125mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.9kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

2xGU10 lamp holder included in packing





TRIMLESS GYPSUM DOWNLIGHT

MODEL: FURY TRIPLE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Fury Triple
Requires 3xGU10 lamp, AC220-240V, max. 35W (not included)

Perfect for 3xLED lamps GU10

Dimensions: 275mm×120mm×50mm

Height including the electrical part: 100mm

Cutout hole: 80mm×125mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.9kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing


3xGU10 lamp holder included in packing



TRIMLESS GYPSUM DOWNLIGHT

MODEL: FURY QUADRA

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Fury Quadra
Requires 4xGU10 lamp, AC220-240V, max. 35W (not included)

Perfect for 4xLED lamps GU10

Dimensions: 200mm×190mm×50mm

Height including the electrical part: 100mm

Cutout hole: 205mm×195mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints



IP Rating: IP20

Weight: 1.1kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

4xGU10 lamp holder included in packing



TRIMLESS GYPSUM DOWNLIGHT

MODEL: TINY DOUBLE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Tiny Double
Requires 2xGU10 lamp, AC220-240V, max. 35W (not included)

Perfect for 2xLED lamps GU10

Dimensions: 145mm×75mm×50mm

Height including the electrical part: 112mm

Cutout hole: 150mm×80mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints




IP Rating: IP20

Weight: 0.6kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

2xGU10 lamp holder included in packing



TRIMLESS GYPSUM DOWNLIGHT

MODEL: DEEPA DOUBLE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Deepa Double
Requires 2xGU10 lamp, AC220-240V, max. 35W (not included)

Perfect for 2xLED lamps GU10

Dimensions: 143mm×78mm×50mm

Height including the electrical part: 112mm

Cutout hole: 145mm×80mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.45kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing


2xGU10 lamp holder included in packing



TRIMLESS GYPSUM DOWNLIGHT

MODEL: WAVE

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model wave

Requires AR111 lamp, AC220-240V, max. 55W

Dimensions: 600mm×600mm×170mm

Height including the electrical part: 250mm

Cutout hole: 600mm×600mm

Material: gypsum, metal

Finish: manual polished silky surface


Colour: white, can be painted with mural paints

IP Rating: IP20

Weight: 6kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing



595x595



150



TRIMLESS GYPSUM DOWNLIGHT

MODEL: MIRANA

LUNA
GROUP



Technical Data Sheet

Trimless Recessed Downlight, model Mirana
Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 230mm×170mm

Height including the electrical part: 170mm

Cutout hole: Ø 235mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 1.6kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing





Surface Downlight

GYPSUM LIGHTS COLLECTION
LUNAGP.IR

SURFACE GYPSUM DOWNLIGHT

MODEL: TUBE

LUNA
GROUP



Technical Data Sheet

Surface Downlight, model Tube

Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 130mm×70mm

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.5kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing






SURFACE GYPSUM DOWNLIGHT

MODEL: CUBE

LUNA
GROUP



Technical Data Sheet

Surface Downlight, model Cube

Requires GU10 lamp, AC220-240V, max. 35W (not included)

Perfect for LED lamps GU10

Dimensions: 130mm×80mm

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 0.9kg

User-friendly, simple maintenance, easy to change bulbs

Safe packing

GU10 lamp holder included in packing




Trimless Gypsum Linear light

GYPSUM COLLECTION
LUNAGP.IR

TRIMLESS GYPSUM LINEAR LIGHT

MODEL: FRIMA

LUNA
GROUP



Technical Data Sheet

Ceiling-recessed lighting in paintable gypsum plaster. Direct installation on false ceiling structure. Designed for either individual installations and creation of multiple lines of cut light in ceilings or walls. The LED strip is easily fitted after installation. The silicone cover is included.

Dimensions: 500mm×110mm×35mm (various light width)

Cutout hole: 113mm×503mm

Thickness of plasterboards: adjustable metal brackets to different thicknesses

Material: gypsum, metal

Finish: manual polished silky surface

Colour: white, can be painted with mural paints


IP Rating: IP20

Weight: 1.5kg

User-friendly, simple maintenance, easy to change LED

Safe packing

Developed to host LED strips of different models





Contact Info

09129264968 – 09127305380

luna.indesign@gmail.com

www.lunagp.ir